



TRU TRAK

Built Stronger. Lasts Longer.

Reliable operation. Less maintenance. Greater return on your investment.

TRUTRAK



Belt Conveyor System

Belanger's TruTrak Belt Conveyor changes **EVERYTHING!**

Belanger understands that every car wash operator seeks an advantage to succeed, so we give you the competitive edge you need. The TruTrak™ Belt Conveyor is engineered from the ground up to outperform, outlast, and outwork conventional tunnel belt conveyors. It's our commitment to help car wash operators win, one market at a time.

We know reliable vehicle processing is the lifeblood of every tunnel wash operation, so if your conveyor breaks down frequently the odds are that your operation and revenue-generation capability will come to a screeching halt. The TruTrak helps make those worries a thing of the past.

This newly designed conveyor system is easy to operate and maintain — and just as easy for drivers to navigate. The result is a simplified loading process and consistently higher, more reliable throughput rates.

Reliable Operation. Less Maintenance. Greater return on your investment.



When **UPTIME** matters and **DURABILITY** drives revenue, your conveyor **cannot be an afterthought.**

The TruTrak is designed with operators in mind and built to provide the highest level of reliability and the quickest serviceability, a combination guaranteed to deliver uninterrupted processing of vehicles.

Built with reinforced structural components, corrosion resistant materials, and precision belt alignment technology, TruTrak is made to withstand the daily demands of high-volume wash operations.

The innovative, patent-pending design of the TruTrak mesh threads allows for smoother vehicle movement through the tunnel. The 30" wide belt safely accommodates today's dually-wheel trucks and low-profile sports cars, allowing you to wash a larger variety of vehicles.

What truly sets TruTrak apart is its ability to reduce downtime and lower lifetime operating costs. A patent-pending self-flushing system cleans and lubricates the belt simultaneously, extending component life and minimizing service intervals. Combined with tool-free roller access and heavy-duty construction throughout, TruTrak helps you spend less time on maintenance and more time generating revenue.




BUILT STRONGER.

Reinforced Deck Plate Construction — Engineered for superior structural integrity to withstand constant vehicle loading and high-volume tunnel demands.

Galvanized Upper Frame — Provides long-term corrosion resistance in harsh wash environments, extending the life of your conveyor investment.

Stainless Steel Belt Guides and Clamp System — Securely locks wear plates into position to ensure safe, straight, and reliable vehicle tracking.



Molded Fiberglass Grating — Durable, corrosion resistant, and designed to reduce long-term maintenance compared to traditional materials.

Patent-Pending Self-Flushing System — Automatically flushes and lubricates the belt system at regular intervals, extending belt life while significantly reducing maintenance requirements.

Tool-Free Return Roller Mounting Design — Simplifies service and reduces labor time, with greaseable roller axles minimizing downtime and keeping your tunnel operating at peak efficiency.

Optional Pre-Installation Trench Template — Precisely sets conveyor width and floor pitch to eliminate guesswork and streamline installation.

Integrated Return Roller Side Guides — Maintains consistent belt alignment, reducing adjustments and service interruptions.


LASTS LONGER.

30" Heavy-Duty Belt — Accommodates a broader range of vehicles including SUV's and low-profile sports cars, helping you wash more vehicles and maximize throughput.

Heavy-Duty Drive and Idler Sections — Built for smooth, consistent operation and long-term durability under continuous daily use.

Modular 10' Sections — Design to easily accommodate various tunnel configuration needs, while streamlining installation and simplified transport.

Polymer Belt Design — Ensures long-haul wear and is available in your choice of 3/4" or 1" belt thickness.



Idler Drum Design — Vulcanized rubber coated drum — specifically engineered to perform in wet, high-chemical environments — helps prevent belt slippage and ensure proper belt tracking while reducing belt wear.

Flexible Deck Widths — The TruTrak comes in two deck sizes, 90" or 95" wide, to easily accommodate your wash market's needs.

Extensive Color Options — Choose from 9 different 'conveyor belt' and 'tire pusher' color combinations, to enhance your wash brand.




Choose Your Size

- Conveyor Deck Width — Choose from 90" or 95" wide deck
- Belt Thickness — Choose from 3/4" or 1" polymer belt material
- Belt Length — Choose your belt length based on number of 10' sections

Choose Your Colors

- Black Polymer Belt — Choose from Orange, Yellow, Red, Blue, or Green 1.5" 'Tire Pushers'
- Blue Polymer Belt — Choose from Orange Yellow, Red, or Green 1.5" 'Tire Pushers'



Specifications:

NOTE: Equipment dimension specifications do not take into consideration any obstructions, unusual wash bay configurations, etc.

BUILDING REQUIREMENTS

Trench Depth	24"	
Trench Width	For 90" Deck	108"
	For 95" Deck	108"

Length (Consult the factory or certified Belanger Distributor for assistance determining exact length needed for your wash facility)

UTILITY REQUIREMENTS

Water	1" Main Water Feed Minimum 20-50 GPM depending on conveyor length
Electrical	Based on length and drive of conveyor – (Consult the factory or certified Belanger Distributor for assistance)

© 2026 Belanger, Inc. Belanger, Inc. reserves the right to revise features or designs, and change or discontinue models at anytime without notice or obligation.